





30 TONNE CITY CRANE (TEREX DEMAG AC30)



DIMENSIONS · ABMESSUNGEN · ENCOMBREMENT · DIMENSIONI · DIMENSIONES

Type of tyres	Level	A	B	C	D
14.00	Road	3190	3040	340	1525
14.00	Lowered	3100	2950	250	1435
445 / 65	Road	3080	2941	236	1421
445 / 65	Lowered	2990	2851	146	1331




NEED ADVICE?

We have experienced staff who can help you. We can visit your site to discuss your needs.

+44 (0) 1902 405553

+44 (0) 1902 402223





30 TONNE CITY CRANE (TEREX DEMAG AC30)

 5,95 m x 5,90 m		360°		DIN/ISO		
						
Main boom						
Radius	m	7,5	11,9	16,3	20,7	25,0
m	t	t	t	t	t	t
2,7	30,0**	-	-	-	-	-
3	24,7*	16,0	16,0	-	-	-
3,5	22,3	16,0	16,0	13,0	-	-
4	20,3	16,0	16,0	13,0	-	-
4,5	18,3	16,0	16,0	13,0	-	-
5	-	16,0	15,8	13,0	9,0	9,0
6	-	13,6	13,6	12,2	9,0	9,0
7	-	10,5	10,7	10,0	8,8	8,8
8	-	8,2	8,4	8,4	7,8	7,8
9	-	6,7	6,8	6,9	6,7	6,7
10	-	-	5,7	5,8	5,8	5,8
11	-	-	4,8	4,9	4,9	4,9
12	-	-	4,1	4,2	4,2	4,2
13	-	-	3,6	3,7	3,7	3,7
14	-	-	-	3,2	3,2	3,2
15	-	-	-	2,8	2,9	2,9
16	-	-	-	2,5	2,5	2,5
17	-	-	-	2,3	2,3	2,3
18	-	-	-	-	2,0	2,0
19	-	-	-	-	1,8	1,8
20	-	-	-	-	1,6	1,6
21	-	-	-	-	1,4	1,4
22	-	-	-	-	1,3	1,3
Capacities	13,0	5,0	2,8	1,5	0,8	0,8

 5,95 m x 4,00 m		360°		DIN/ISO		
						
Main boom						
Radius	m	7,5	11,9	16,3	20,7	25,0
m	t	t	t	t	t	t
3	21,8	16,0	16,0	-	-	-
3,5	19,4	16,0	16,0	13,0	-	-
4	14,9	15,3	13,5	12,0	-	-
4,5	11,6	12,0	11,6	10,4	-	-
5	-	9,8	10,0	9,2	8,3	-
6	-	7,0	7,2	7,3	6,7	-
7	-	5,4	5,5	5,6	5,5	-
8	-	4,3	4,4	4,5	4,5	-
9	-	3,5	3,6	3,7	3,7	-
10	-	-	3,0	3,1	3,1	-
11	-	-	2,5	2,6	2,6	-
12	-	-	2,1	2,2	2,2	-
13	-	-	1,8	1,9	1,9	-
14	-	-	-	1,6	1,7	-
15	-	-	-	1,4	1,4	-
16	-	-	-	1,2	1,3	-
17	-	-	-	1,1	1,1	-
18	-	-	-	-	1,0	-
19	-	-	-	-	0,8	-
20	-	-	-	-	0,7	-
21	-	-	-	-	0,6	-
22	-	-	-	-	0,5	-
23	-	-	-	-	-	-
Capacities		9,0	2,5	1,2	0,5	-



 5,95 m x 2,25 m		360°		DIN/ISO	
					
Main boom					
Radius	m	7,5	11,9	16,3	
m		t	t	t	
3		10,2	10,6	8,9	
3,5		7,8	8,1	7,5	
4		6,2	6,5	6,5	
4,5		5,1	5,3	5,5	
5		-	4,5	4,6	
6		-	3,3	3,4	
7		-	2,6	2,6	
8		-	2,0	2,1	
9		-	1,6	1,7	
10		-	-	1,4	
11		-	-	1,1	
12		-	-	0,9	
13		-	-	0,7	
Capacities		4,0	1,0	-	

ALL TERRAIN CRANE AC 30 City



NEED ADVICE?

We have experienced staff who can help you. We can visit your site to discuss your needs.


+44 (0) 1902 405553

+44 (0) 1902 402223






RUNNER / SEARCHER HOOK CAPATABLE WITH OUR TEREX AC 30 CITY CRANE



* Main boom duties apply until the maximum loads specified above have been achieved



 **TEREX** | DEMAG



NEED ADVICE?

We have experienced staff who can help you. We can visit your site to discuss your needs.

+44 (0) 1902 405553

+44 (0) 1902 402223





RUNNER / SEARCHER HOOK CAPATABLE WITH OUR TEREX AC 30 CITY CRANE

		5,95 m x 5,90 m					360°	DIN/ISO	
Radius · Ausladung Portée Sbraccio		Main boom · Hauptausleger · Flèche principale · Braccio base · Pluma principal						Radius · Ausladung Portée Sbraccio	
Radio	m	7,5	11,9	16,3	20,7	25,0		Radio	m
m	t	t	t	t	t	t		m	t
3	15,0 ¹⁾	15,0 ¹⁾	12,5 ¹⁾	-	-	-		3	
3,5	15,0 ²⁾	15,0 ¹⁾	12,5 ¹⁾	-	-	-		3,5	
4	15,0 ²⁾	15,0 ¹⁾	12,5 ¹⁾	10,0 ¹⁾	-	-		4	
4,5	15,0 ³⁾	15,0 ¹⁾	12,5 ¹⁾	10,0 ¹⁾	-	-		4,5	
5	15,0 ³⁾	15,0 ¹⁾	12,5 ¹⁾	10,0 ¹⁾	8,0 ¹⁾	-		5	
6	-	13,5 ²⁾	12,5 ¹⁾	10,0 ¹⁾	8,0 ¹⁾	-		6	
7	-	10,6 ²⁾	10,7 ¹⁾	9,8 ¹⁾	8,0 ¹⁾	-		7	
8	-	8,2 ³⁾	8,4 ¹⁾	8,2 ¹⁾	7,6 ¹⁾	-		8	
9	-	6,7 ³⁾	6,8 ²⁾	6,9 ¹⁾	6,4 ¹⁾	-		9	
10	-	5,6 ³⁾	5,6 ²⁾	5,7 ¹⁾	5,6 ¹⁾	-		10	
11	-	-	4,7 ²⁾	4,8 ¹⁾	4,8 ¹⁾	-		11	
12	-	-	4,0 ³⁾	4,1 ²⁾	4,1 ¹⁾	-		12	
13	-	-	3,5 ³⁾	3,5 ²⁾	3,6 ¹⁾	-		13	
14	-	-	3,1 ³⁾	3,1 ²⁾	3,1 ¹⁾	-		14	
15	-	-	-	2,7 ³⁾	2,7 ²⁾	-		15	
16	-	-	-	2,4 ³⁾	2,4 ²⁾	-		16	
17	-	-	-	2,1 ³⁾	2,1 ²⁾	-		17	
18	-	-	-	1,9 ³⁾	1,8 ²⁾	-		18	
19	-	-	-	-	1,6 ³⁾	-		19	
20	-	-	-	-	1,4 ³⁾	-		20	
21	-	-	-	-	1,3 ³⁾	-		21	
22	-	-	-	-	1,1 ³⁾	-		22	
23	-	-	-	-	1,0 ³⁾	-		23	
Capacities Traglast · Charges Portate · Cargas ⁴⁾		13,0 ²⁺³⁾	4,8 ²⁺³⁾	2,3 ²⁺³⁾	1,0 ²⁺³⁾	-		Capacities Traglast · Charges Portate · Cargas ⁴⁾	

Remarks

- 1) Working range – max. offset for runner
- 2) Working range – medium offset for runner
- 3) Working range – min. offset for runner
- 4) with horizontal boom · horizontal

NEED ADVICE?

We have experienced staff who can help you. We can visit your site to discuss your needs.

+44 (0) 1902 405553

+44 (0) 1902 405553

